## **TOWN OF STOCKTON Residential Driveway/Culvert Permit**

For new, altered, or improved driveways which adjoin Town of Stockton Roads

- 1) Failure to comply with this permit may result in your driveway being replaced or removed
- 2) Any guestions concerning this permit should be discussed with the Town Road Foreman at 715-592-4420 or a member of the Town Board: Chairman Mike Bronk at 715-572-4850 Supervisor Jeanne Dodge at 715-592-4153; or Supervisor Terry Johnson at 715-592-4061
- 3) THE APPLICANT SHALL PLACE FLAGS OR MARKERS IN THE DITCH, VISIBLE FROM THE ROADWAY, AT THE LOCATION OF THE PROPOSED DRIVEWAY. (When flags or markers are in place, please contact the Town Clerk at 715-592-4712, so a fire number can be assigned to the new address. Once in place, it may not be moved.)

Name:				Phone Number:	
I am the (check one)	□ Owner	□ Contractor	D Agent	Parcel Number	
Owner's current Address:					
Address of Proposed Di	riveway:				

(To be assigned by the Town Clerk after proposed driveway is flagged.)

On the back of this application, provide a sketch of the proposed driveway, including grade, slope, width, and length of driveway. All property owners are encouraged to have a turn-around for safety reasons.

BEFORE ANY WORK IS DONE ON THE LOT. THE BASE OF THE DRIVEWAY TO THE ROAD SHOULD BE IN PLACE AND USED AS THE SOLE ACCESS TO THE PROPERTY.

Damage to roads incurred because of lack of driveway will result in charges for repair.

NOTE: TO AVOID PROBLEMS WITH ROAD MAINTENANCE, NO ITEMS AND/OR PROTRUDING DRIVEWAY MATERIALS ARE ALLOWED IN THE TOWN ROAD RIGHT-OF-WAY WITH THE EXCEPTION OF FIRE NUMBERS, MAILBOXES, AND TRAFFIC SIGNS. ACCORDING TO ROAD ORDINANCE RIGHT-OF-WAY CAN ONLY BE PAVED WITH ASPHALT.

The following minimum specifications shall apply to all new or altered driveways as well as deteriorating driveways being improved: One driveway allowed for lots with 200 feet or less of frontage width.

Two driveways allowed for lots with over 200 feet of frontage width.

Minimum separation between driveways: 200 feet. Minimum driveway width: 16 feet

Any variance needs Town Board approval prior to issuing a permit. Special consideration to be given in platted subdivisions where there is an established speed limit of 35 MPH or less.

The surface of the driveway connecting with the road shall slope down and away from the road shoulder a sufficient amount and necessary distance to prevent ordinary surface water drainage from the driveway area from flowing onto the roadbed. Please plan for additional buildings and future expansion when determining driveway placement. Maintenance of the driveway shall be the responsibility of the property owner. All driveways shall be constructed in accordance with the above Town requirements and include any other specifications as may be set forth by the Stockton Town Board. Any driveways on County or State Roads need to be constructed according to the specifications and regulations of those jurisdictions. Parkland Dedication fee applicable for all lots created after September 4, 2002.

Parkland Dedication fee of \$250.00: N/A DUE (Paid to Building Inspector) PAID

I agree to the above Driveway/Culvert Permit Conditions:

Signature of Applicant: \_\_\_\_\_ Date: \_\_\_\_\_

To be completed by a Town Representative before a Building Permit is issued:

Culvert will will not be required. Culvert will be a minimum diameter of \_\_\_\_\_ inches.

The above driveway application has been inspected by the Town of Stockton Representative and determination has been made that the driveway meets the minimum standards and is *hereby authorized to be issued a building permit*.

Signature of Town Representative: \_\_\_\_\_ Date: \_\_\_\_\_

Ord, O-02-01, Exhibit K